

APPLICATION FOR CONDOMINIUM PLAT OR CONDOMINIUM CONVERSION

(Section 11-330 Lehi City Development Code)

	For Offic	ee Use Only				
	File #:	Application Date:	Receipt #:	Planner:		
	Fee: \$300	0 + \$50 per lot or unit				
Name of Proposed Subdivision:				Tota	Total # of Lots:	
A	Address of	f Proposed Subdivision:				
N	Name of A	Applicant or Authorized Agent(s): _				
	Ad Ph	Idressone #	City Email	St	Zip	
Name of Owner(s) (if other than applicant):						
	Ad Ph	ldressone #	City	StSt.	Zip	
C						
N	Owner's Signature of Authorization to file: (if more than one owner, attach the signature of each owner to this application) Name of Licensed Engineer:					
1	Ad	Idress	City	St.	Zip	
	Ph	Idressone #	Email			
(2	APPLIC A 1) 2) 3)		of the Planning Staff before and submit all required info ent/public-meetings/planning and all other required infor	ormation electronically to ng/applications/, includite mation from the checkles	through the following ng: ist outlined below.	
W	The deadline for submittal for the meeting of the Reviewing Departments is 5:00 pm on Tuesday for review the following week on Wednesday. All fees need to be paid by noon on Wednesday (a week before the meeting). It is the applicant's responsibility to call and confirm their scheduled DRC time.					

APPLICATION REQUIREMENTS

Please read the applicable sections of the Lehi City Development Code and Lehi City Design Standards and Public Improvements Specifications Manual in detail before submitting an application. **The Condominium Plat shall be prepared by a land surveyor** licensed to practice in the State of Utah. All engineering and/or surveying documents submitted for City review shall be stamped by said engineer or land surveyor in accordance with the procedures of the Utah State Board for Professional Registration. If the plat contains more than one sheet, the sheets shall be numbered in sequence and clearly

indicated on each sheet. The following information, at a minimum, shall be included with the application for Plat Approval (additional information may be required by the Staff, Planning Commission or City Council).

Please *initial each item* as being completed, or put N/A if waived by staff or not applicable to approval process:

Items to b	oe shown on the Condominium Plat
(1)	A title block which contains the following:
(a)	Name of the development.
(b)	Type of development (residential, commercial etc.).
(c)	
	surveyor responsible for making the survey.
(d)	A legal description of the subdivision boundaries that includes the quarter-quarter section, section, township, range, principal median and the County of its location.
(e)	
(f)	
(2)	Written and graphic scale, not smaller than 1" to 100' or as recommended by the City Engineer.
(3)	The basis of bearings used and a north point.
(4)	of survey and showing prominent landmarks.
(5)	The exterior boundaries of the platted areas giving lengths and bearings of the boundary lines. If bounded by a water body or a curving boundary, please refer to Section 11-100B(2) of the Development Code. All subdivisions must have proper closure.
(6)	
(7)	
(8)	lengths, widths, name, number, or purpose. For curved boundaries the curve radius, central angle, and length
(9)	Indication of unit areas (square feet).
	_ Units consecutively numbered or lettered in alphabetical order.
	Proposed addresses shown on each unit as obtained from the Lehi City Building Official.
	All proposed new streets named or numbered in accordance with the street naming and numbering system of the City.
(13)	Location and names of adjacent properties/property owners and platted subdivisions.
	Location of zoning boundary lines within and adjacent to the proposed subdivision.
	Location of all existing homes or buildings within the proposed subdivision that are to remain.
	All existing monuments found during the course of the survey (including a physical description such as "brass cap").
(17)	All monuments erected, corners, and other points established in the field. The monuments shall be made of brass and the legend shall indicate the diameter, length, and weight of the monuments All exterior boundary angle points of the subdivision and lot corners shall be marked in accordance with the Lehi City Design Standards and Public Improvements Specifications including brass pins in the BOC for all front property lines.
(18)	

Construction Drawings (construction drawings are required if changes to utilities or infrastructure are proposed)

(1) _____ Construction/plan & profile drawings of all required public improvements consistent with Lehi City Design Standards and Public Improvement Specifications. An engineer or land surveyor in accordance with the

		procedures of the Otan State Board must stamp construction drawings for Professional Registration.
		Construction drawings shall include:
	(a)	· · · · · · · · · · · · · · · · · · ·
		each other (water laterals must be located at the center of the lot and sewer laterals 10 feet downstream
	(1.)	from the water laterals).
	(b)	Location, depth, pipe type (pipe type may be noted in a legend), and slope of all drainage, and sewer lines,
		including the location and proper spacing of all boxes, manholes and other improvements.
	(c)	Location, pipe type, and size of existing and proposed culinary and pressurized irrigation lines and
		associated fire hydrants, valves, and blowoffs (note where bends are required on water lines).
(2)		Construction drawings are to include the following notes:
	(a)	A note stating that four (4) sets of color as built drawings and one (1) electronic copy shall be submitted to
		the City upon completion of the public improvements; including, water, sewer, storm drain and power.
	(b)	A note stating that all construction is to be done as per the <u>latest</u> Lehi City Design Standards and Public
		Improvements Specifications.
	(c)	A note stating that prior to construction, an erosion and sedimentation control plan will be submitted to the
		Public Works Director for approval.
	(d)	A note stating that prior to commencement of any work, a preconstruction meeting will be held with the
		Public Works Director, Chief Building Official, city inspectors, the contractor and the property owner.
		uired Information
(2)		Where conversion of an existing building is proposed as part of the condominium project, a report containing
		a plan for all proposed improvements, repairs and alterations shall be submitted as part of the application.
(3)		Proof of notice to tenants as required by State Code.
(4)		
(5)		A final copy of any restrictive covenants (CC&Rs), reservations, or private easements.
D D	FFCT	IVE PERIOD OF CONDOMINIUM PLAT APPROVAL
		val of a condominium plat shall be effective for a period of one (1) year from the date the plat is approved and
_	•	he City Council, at the end of which time such condominium plat shall have been recorded in the office of the
		ty Recorder. If the approved plat is not recorded within the one (1) year period of date of approval the approval
		id, and the applicant shall be required to submit a new condominium plat for review and approval subject to the
		ng provisions of this Code and General Plan. After approval of a condominium plat, the applicant may apply for
buil	ding pe	ermits consistent with the approved Final Subdivision Plat.
ΛD	DI IC	ANT CERTIFICATION
	•	nder penalty of perjury that this application and all information submitted as a part of this application is true,
		and accurate to the best of my knowledge. Should any of the information or representations submitted in
		with this application be incorrect or untrue, I understand that Lehi City may rescind any approval, or take any
		or appropriate action. I also acknowledge that I have reviewed the applicable sections of the Lehi City
		ent Code and that items and checklists contained in this application are basic and minimum requirements only
		her requirements may be imposed that are unique to individual projects or uses. I also agree to allow the Staff,
		ommission, or City Council or appointed agent(s) of the City to enter the subject property to make any necessary
insp	ections	thereof.

CONDOMINIUM PLAT APPROVAL PROCESS

